

# K205 Signage Player

The K205 is an ultra slim, powerful quad display signage and media player built for reliable 24/7 use. It is robust and supports Windows 11 IoT Enterprise, or Windows 11 Pro.



Windows 11 IoT



RTC Power  
Scheduling



Quad 4K 60 Hz



Rated for 24/7  
Use



TPM 2.0

# Ports

---



1. Power Button	6. DC-in
2. USB 2.0 (Type-A)	7. LAN (RJ45)
3. USB 3.2 Gen 2 (Type-A)	8. USB 2.0 (Type-A)
4. USB 3.2 Gen 1 (Type-C)	9. DB-9 RS232
5. 3.5mm audio (1 x Mic & 1 x Headphones)	10. HDMI 2.0

# AMD Ryzen 7000

## Performance

Processor	AMD Ryzen 5 7535U - 6C/12T
Memory	Up to 64GB DDR5 4800MHz
Storage	Up to 4TB NVMe SSD
Graphics	AMD Radeon 660M
Operating System	Windows 11 - Home / Pro / Enterprise IoT No operating system - Optional

## System

Power Supply	External 65W brick (19V, 5.5mm x 2.5mm)
Audio	Realtek HD Audio
TPM	TPM 2.0

## Physical

In the box	K205 system Power supply Power Cable VESA mounting bracket
Dimensions	190mm x 148mm x 26mm
Weight	Gross Weight: 1.52Kg Net Weight: 0.77Kg
Packaging	Paper: 200g (83.33%) Plastic: 40g (16.67%)

## Optional Extras

Upgrades	Wi-Fi 6E & Bluetooth 5.3 4G / 5G
----------	-------------------------------------

## Conformity

Conformity	CE / RoHS
------------	-----------

## Connectivity

Networking	Realtek 1Gb LAN Wi-Fi 6 (802.11ax) & Bluetooth 5.2
Front IO	1 x USB 3.2 Gen 1 (Type-C) 1 x USB 3.2 Gen 2 (Type-A) 1 x USB 2.0 (Type-A) 2 x 3.5mm audio (1 x Mic & 1 x Headphones)
Rear IO	4 x HDMI 2.0 2 x USB 2.0 (Type-A) 1 x LAN (RJ45) 1 x DB-9 RS232 1 x DC-in

## Warranty

Standard	1 year collect and return
Optional Upgrades	Up to 5 years total cover Extended Service Plan

## Environment

Operating Temperature	-5°C to 45°C
Operating Humidity	10% to 90% non-condensing
Storage Temperature	-20°C to 70°C
Storage Humidity	10% to 95% non-condensing

Please note that the system images are examples and may differ based on chosen specifications. Some products shown in system images may be subject to availability. Please contact our team if you have any questions regarding configuration.

# Supported Resolutions

---

## Supported Resolutions

Video Format			Output
Shorthand	Resolution	Refresh rate (Hz)	HDMI
1080p	1920×1080	30	Yes
		60	Yes
4K	3840×2160	30	Yes
		60	Yes
5K	5120×2880	30	No
		60	No
8K	7680×4320	30	No
		60	No